

DESCRIPTION	ITEM	KG	m3
9.00-20 14 NOKIA ARMOR GARD	T463705	47,34	0,28
10.00-20 16 NOKIA ARMOR GARD	T495070	55,30	0,32
11.00-20 16 NOKIA ARMOR GARD	T495074	59,94	0,35
12.00-20 20 NOKIA ARMOR GARD	T495094	82,51	0,41
14.00R20 164 G MPT AGILE TL	T445231	111,24	0,66
26.5B25 36 L-5S MINE TL SF	T445110	784,79	2,18
17.5B25 20 L-5S MINE TL SF	T445165	278,14	0,87
26.5-25 36 L-5S MINE TL	T445324	763,21	2,18
18.00-25 28 L-5S MINE TL	T445325	474,34	1,39
17.5-25 20 L-5S MINE TL	T445326	270,64	0,87
18.00-25 28 L-5S MINE TL	T478020	162,81	1,39
12.00-20 20 L-5S MINE	T487630	126,63	0,44
16.00-25 28 E-3 HTS TT	T488412	206,34	0,963
16.00-25 32 E-3 HTS TT	T488420	222,82	0,963
16.00-25 36 E-4 HTS TT	T488430	295,00	1,035
17.5-25 20 L-5S MINE TL	T488505	278,14	0,87
18.00-25 24 L-5S	T488509	433,58	1,4
18.00-25 24 L-5S MINE TL	T488510	429,54	1,39
18.00B25 28 L-5S MINE TL SF	T488512	477,35	1,39
12.00R20 176 A5 NOKIA ARMOR GARD TL	T495230	76,50	0,41
18.00-25 40 L-4S HTS TL	T445184	429,88	1,39
18.00-33 36 E-4 HTS TL	T445251	473,23	1,7
18.00-25 40 L-4S HTS TL	T445329	396,65	1,39
14.00-24 28 INDUSTRIAL	T488192	136,24	0,7
14.00-24 28 E-3 HTS TL	T488311	158,70	0,7
14.00-24 28 E-3 HTS TT	T488312	153,83	0,7
16.00-25 28 E-3 HTS TL	T488411	208,78	0,96
16.00-25 32 E-3 HTS TL	T488421	231,49	0,96
16.00-25 36 E-4 HTS TL	T488431	289,42	1,04
18.00-25 40 E-4 HTS	T488519	354,44	1,39
18.00-25 40 E-4 HTS TL	T488530	368,36	1,39
14.00R24 188 A5 E-3 HTS TL	T445123	143,41	0,7
16.00R25 195 A5 E-3 HTS TL	T445124	192,89	0,96
315/60R22.5 174 A5 HTS TUGGER TL	T445221	58,03	0,28
10.00R20 166 A5 HTS TL	T445315	75,02	0,3
12.00R20 176 A5 HTS	T445400	99,86	0,41
12.00R20 176 A5 HTS TL	T478022	99,85	0,41
8.50-12/10.0/80-12 TR 15 BUT OT	T51365	2,20	0,013
9.00 -20 TR 175 BUT	T52520	3,06	0,013
10.00-20 TR 78 BUT	T52620	3,76	0,013
11.00-20 TR 179 BUT	T52720	4,62	0,013
12.00-20 V3.02.16 BUT	T52810	5,60	0,017
14.00-20 TR 274 BUT	T52920	5,75	0,017
14.5 -20 TR 150 BUT	T55093	5,77	0,025
16.00-25 TR 1175 BUT	T55810	9,91	0,033
23X5-13/25X6-13 TR274 BUT	T58295	1,00	0,006
18X7-8/5.00-8 TR 87 BUT	T58300	0,63	0,003
5.00T-8 TR 13 BUT	T58301	0,63	0,003
6.00-9 TR 227 BUT	T58304	0,77	0,003
7-9 TR 227 BUT	T58305	1,10	0,003
7.00-12 TR 75 BUT	T58310	1,45	0,006

7.50-10 TR 150 BUT	T58311	1,51	0,006
6.50-10 TR 227 BUT	T58313	0,83	0,004
7.00-15 TR 75 BUT	T58314	1,49	0,006
7.50-15 TR 75 BUT	T58315	1,89	0,007
28X9-15/8.15-15 TR 75 BUT	T58317	1,61	0,006
8.25-15 TR 75 BUT	T58320	2,23	0,008
32X12.1-15 TR 75A BUT	T58370	2,77	0,008
MISCELLANEOUS TUBE	T59060	0,00	0
11.2-24 8 TR FS DT	T482160	43,29	0,35
12.4-24 8 TR FS DT	T482190	46,05	0,42
13.6-24 8 TR FS DT	T482196	57,34	0,51
14.9-24 8 TR FS DT	T482210	63,96	0,6
12.4-28 6 TR AS	T483000	48,24	0,5
14.9-30 8 TR FS	T483550	68,42	0,76
16.9-30 8 TR FS DT	T483790	85,24	0,9
12.4-32 6 TR AS	T484000	55,03	0,58
16.9-34 8 TR FS DT	T484370	98,35	1,1
18.4-34 8 TR FS DT	T484400	114,70	1,27
12.4-36 6 TR AS	T484800	61,57	0,68
13.6-36 6 TR FS DT	T485190	70,00	0,79
13.6-36 8 TR FS DT	T485195	70,30	0,79
13.6-38 6 TR FS DT	T485390	75,40	0,84
13.6-38 8 TR FS DT	T485405	75,54	0,84
500/65R28 138A8/134B TR RADIAL TL	T445237	99,02	0,9
600/65R38 153A8/150B TR RADIAL TL	T445238	170,46	1,82
540/65R28 142A8/139B TR RADIAL TL	T445239	112,73	1,1
650/65R38 157A8/154B TR RADIAL TL	T445240	194,36	2,12
500/65R24 136A8/133B TR RADIAL TL	T445241	89,01	0,78
600/65R34 151A8/148B TR RADIAL TL	T445242	156,75	1,6
500/65R24 IND 154 A8 TR RADIAL TL	T445328	94,36	0,78
500/50-17 8 TRAILER	T489930	0,00	0,44
500/50-17 8 TRAILER TL	T489931	0,00	0,5
500/50-17 10 TRAILER	T489932	0,00	0,44
500/50-17 10 TRAILER TL	T489933	0,00	0,5
500/50-17 146D TRAILER	T489936	0,00	0,5
500/50-17 146D TRAILER TL	T489937	0,00	0,5
500/50-17 14 TRAILER	T489938	0,00	0,5
500/50-17 14 TRAILER TL	T489939	0,00	0,5
16.0/70-20 14 TT	T489960	54,94	0,48
500/50 R 17 150 A6 TRAILER	T489968	79,33	0,5
500/50 R 17 146D TRAILER	T489972	48,07	0,5
500/50R17 148A8 TRAILER TL	T489969	46,05	0,44
500/50R17 157A8/146D TRAILER TL	T489973	48,05	0,44
500/70-28 146 A8/ 153 A2 FOREST KING T SF DA	T35851	135,00	1
650/65-26.5 12 ELS L-2 H SF	T445167	193,64	1,46
700/50-26.5 16 FOREST KING E SF	T445185	164,35	1,24
600/55-26.5 16 FOREST KING E SF	T445224	140,18	1,05
750/55-26.5 20 FOREST KING TRS L-2 SF	T445225	262,23	1,67
24.5-32 20 FOREST KING TRS LS-2 SF	T445253	369,37	2,88
700/45-22.5 16 FOREST KING E SF	T445277	120,24	0,95
700/50-26.5 20 ELS L-2 SF	T445291	215,66	1,24
500/60-26.5 12 TRS LS-2 H SF	T445295	137,14	1

800/40-26.5 20 FOREST KING F SF	T445296	241,28	1,42
600/55-26.5 20 ELS L-2 SF	T445309	181,63	1,1
710/45-26.5 20 FOREST KING F SF	T445311	217,38	1,26
650/75-38 168 A8/ 175 A2 FOREST KING T SF	T445313	292,95	2,47
540/70-30 152 A8/ 159 A2 FOREST KING T SF	T445314	164,50	1,24
700/50-26.5 20 TRS LS-2 SF	T445321	216,37	1,24
750/55-26.5 20 FOREST KING F SF	T445333	268,98	1,6
600/70-38 164 A8/ 171 A2 FOREST KING T SF	T445334	255,28	1,94
500/70-28 146 A8/ 153 A2 FOREST KING T SF	T445335	138,37	1
710/45-26.5 16 FOREST KING F SF	T445336	203,84	1,26
650/60-26.5 12 FOREST KING TRS L-2H SF	T445339	202,12	1,44
600/55-26.5 20 FOREST KING F SF	T445340	184,14	1,08
620/75-26 149 A8/ 156 A2 FOREST KING T	T445349	207,73	1,58
620/75-26 159 A8/ 167 A2 FOREST KING T SF	T445365	221,78	1,58
710/40-22.5 16 FOREST KING F SF	T445366	141,00	0,94
600/55-26.5 20 TRS LS-2 SF	T445388	197,68	1,07
650/60-26.5 20 FOREST KING TRS L-2 SF	T445395	243,12	1,44
710/45R26.5 168 A8 / 175 A2 FOREST RIDER	T445408	227,80	1,28
710/40-22.5 16 FOREST KING TRS L-2 SF	T445421	141,39	0,94
600/50-22.5 16 FOREST KING TRS L-2 SF	T445433	129,00	0,81
600/50-22.5 16 ELS L-2 SF	T486034	119,87	0,79
500/60-22.5 12 ELS L-1 SF	T486037	0,00	0,67
600/50-22.5 16 TRS LS-2 SF	T486049	125,20	0,79
500/60-22.5 16 ELS SF	T486050	107,26	0,69
600/50-22.5 16 ELS L-1 SF	T486054	113,62	0,79
500/60-26.5 16 ELS SF	T486065	121,73	0,82
650/65-26.5 20 ELS L-2 SF	T486066	233,15	1,3
600/55-26.5 16 ELS L-2 SF	T486079	166,79	1,07
600/55-26.5 16 ELS SF	T486080	152,06	1,07
600/55-26.5 16 TRS LS-2 SF	T486081	183,82	1,07
700/50-26.5 16 ELS SF	T486090	179,65	1,24
700/50-26.5 16 TRS LS-2 SF	T486091	197,79	1,24
700/50-26.5 20 ELS SF	T486092	193,44	1,5
700/50-26.5 16 ELS L-2 SF	T486095	201,28	1,24
750/55-26.5 20 ELS L-2 SF	T486098	260,34	1,24
700/45-22.5 16 ELS L-1 SF	T486114	128,75	0,93
700/45-22.5 16 ELS L-2 SF	T486118	133,09	0,93
700/45-22.5 16 TRS LS-2 SF	T486122	143,16	0,93
17.5 -25 16 ELS SF	T486150	148,74	0,81
17.5 -25 16 TRACK SF	T486183	123,99	0,81
20.5-25 16 LS SF	T486260	198,94	1,16
22/65-25 16 ELS SF	T486280	173,28	1,03
25/65-25 20 LS SF	T486350	253,33	1,4
18.4-26 12 TRS SF	T486410	132,74	0,98
30.5L-32 12 TRS LS-2	T486849	336,11	0
18.4-34 10 TRS LS-2 SF	T487170	195,19	1,32
600/65-34 14 TRS SF	T487400	229,27	1,62
600/65-34 14 TRS L-2 SF	T487410	218,90	1,62
700/55-34 14 TRS SF	T487510	257,45	1,87
700/55-34 14 TRS L-2 SF	T487515	240,16	1,87
700/70-34 16 TRS SF	T487550	309,08	2,38
30.5L-32 16 FOREST KING TRS LS-2 SF	T445140	380,31	2,67

28L-26 12 FOREST KING TRS LS-2 SF	T445170	266,13	2,5
30.5L-32 20 FOREST KING TRS LS-2 SF	T445243	396,41	3
18.4-30 16 TRS LS-2 SF	T445244	185,83	1,12
18.4-26 12 FOREST KING TRS LS-2 SF	T445246	146,65	1
28L-26 16 FOREST KING TRS LS-2 SF	T445248	281,81	1,93
30.5L-32 18 FOREST KING TRS LS-2 SF	T445373	395,08	2,67
23.1-26 10 TRS SF	T486498	223,34	1,56
23.1-26 10 FOREST KING TRS LS-2 SF	T486499	214,65	2
23.1-26 16 TRS SF	T486500	245,94	1,56
23.1-26 16 FOREST KING TRS LS-2 SF	T486510	228,16	1,56
28L-26 14 FOREST KING TRS LS-2 SF	T486550	269,78	2,5
24.5-32 16 FOREST KING TRS LS-2 SF	T486800	331,88	2,09
30.5L-32 16 TRS LS-2 SF	T486855	364,14	2,67
23.1-34 16 TRS SF	T486900	244,09	2,3
18.4-34 14 TRS LS-2 SF	T487172	207,92	1,32
13.6-38 10/135A8 TR FS FOREST	T445347	84,20	0,84
14.9-28 14/140A8 TR FOREST	T445409	82,07	0,7
11.2-24 10/119A8 TR FS FOREST	T482170	46,10	0,35
12.4-24 12/128A8 TR FS FOREST	T482192	54,70	0,42
13.6-24 10/128A8 TR FS FOREST	T482198	66,24	0,51
14.9-24 14/138A8 TR FS FOREST	T482220	74,62	0,6
13.6-28 10/130A8 TR FS FOREST	T483150	68,44	0,59
14.9-28 14/140A8 TR AS FOREST	T483250	82,36	0,7
16.9-28 14/145A8 TR FOREST	T483301	103,59	0,85
16.9-30 14/144A8 TR FS FOREST	T483810	99,23	0,95
16.9-34 14/146A8 TR FS FOREST	T484390	110,71	1,08
18.4-34 14/154A8 TR FS FOREST	T484420	131,90	1,54
18.4-38 14/155A8 TR FOREST	T485430	158,17	1,43
20.8-38 14/159A8 TR FOREST	T485450	158,23	1,79
500/65R28 144A8/141B TR FOREST TL	T445168	115,00	0,9
600/65R38 159A8/156B TR FOREST TL	T445169	216,26	1,82
540/60R26.5 145 A8/142B TR FOREST TL	T445182	119,24	0,94
540/65R28 149A8/146B TR FOREST TL	T445187	131,22	1,1
650/65R38 164A8/160B TR FOREST TL	T445188	244,53	2,12
500/65R24 142A8/139B TR FOREST TL	T445232	101,87	0,78
600/65R34 157A8/154B TR FOREST TL	T445233	196,21	1,6
500/65R24 142A8/139B TR MULTIPLUS TL	T445410	101,87	0,78
500/65R28 144A8/141B TR MULTIPLUS TL	T445411	115,17	0,9
540/65R28 149A8/146B TR MULTIPLUS TL	T445412	130,98	1,1
600/65R34 157A8/154B TR MULTIPLUS TL	T445413	195,83	1,6
600/65R38 159A8/156B TR MULTIPLUS TL	T445414	215,69	1,82
650/65R38 164A8/160B TR MULTIPLUS TL	T445415	243,90	2,12
600/50-22.5 20 TRS LS-2 SF TL EXCAVATOR	T445380	137,05	0,79
700/45-22.5 20 TRS LS-2 SF TL EXCAVATOR	T445381	161,16	0,93
20.5-25 16 ELS TL	T486216	149,71	1,16
17.5-25 16 GRS TL	T488140	116,07	0,9
17.5-25 16 GRS	T488141	114,35	0,85
14.00-24 16 GRADER S TL	T488161	107,57	0,7
20.5 R 25 168B/186A2 L-3 LOADER GRIP TL	T445171	171,92	1,16
23.5 R 25 176B/195A2 L-3 LOADER GRIP TL	T445223	237,18	1,53
17.5 R 25 157B/176A2 L-3 LOADER GRIP TL	T445255	117,04	0,81
14.00 R 24 153 A8 GRS	T493550	83,43	0,7

14.00 R 24 153 A8 GRS TL	T493551	106,37	0,71
17.5R25 153 A8 GRS TL	T493560	117,20	0,81
400/60-15.5 14 ELS TL	T445142	33,86	0,31
500/60-15.5 12 ELS TL	T445143	61,76	0,5
400/60-15.5 8 ELS TL	T445144	28,22	0,31
500/60-15.5 8 ELS TL	T445145	54,30	0,5
700/50-26.5 8 TRS LS-2 TL	T445147	146,73	1,24
18.4-30 14 TRS LS-2 TL	T445148	163,03	1,12
600/50-22.5 12 ELS L-2 TL	T445149	105,31	0,82
700/45-22.5 12 ELS L-2 TL	T445150	118,43	0,96
400/55-22.5 14 ELS TL	T445151	54,93	0,41
500 / 60 - 22.5 8 ELS TL	T445152	75,70	0,67
600/50-22.5 12 TRS LS-2 TL	T445153	107,44	0,79
600/55-26.5 8 ELS TL	T445155	107,26	1,07
600/55-26.5 8 TRS LS-2 TL	T445156	133,56	1,07
600/55-26.5 12 ELS TL	T445157	119,41	1,07
600/55-26.5 12 TRS LS-2 TL	T445158	146,98	1,07
700/45-22.5 12 ELS L-1 TL	T445159	108,96	0,93
700/45-22.5 12 TRS LS-2 TL	T445160	120,27	0,93
400/55-22.5 8 ELS TL	T445161	45,26	0,41
500/60-26.5 8 ELS TL	T445162	91,21	0,82
700/45-22.5 12 ELS L-2	T445178	118,43	0,96
400/60-15.5 8 ELS	T486005	28,22	0,31
400/60-15.5 14 ELS	T486007	35,06	0,31
500/60-15.5 8 ELS	T486008	54,74	0,5
500/60-15.5 12 ELS TT	T486011	61,37	0,5
400/55-22.5 8 ELS	T486012	26,00	0,41
400/55-22.5 14 ELS	T486015	52,37	0,41
500/60-22.5 8 ELS	T486020	75,70	0,67
500/60-22.5 8 ELS TL	T486021	75,70	0,7
500/60-22.5 8 ELS L-1	T486026	66,29	0,7
550/45-22.5 16 ELS TL	T486030	82,11	0,63
500/60-22.5 12 ELS L-1	T486036	80,18	0,7
500/60-22.5 12 ELS L-1 TL	T486038	81,33	0,67
500/60-22.5 12 ELS TL	T486039	84,68	0,7
500/60-22.5 12 ELS	T486040	79,55	0,67
550/45-22.5 8 ELS TL	T486042	65,03	0,7
550/45-22.5 12 ELS TL	T486045	73,65	0,63
600/50-22.5 12 TRS LS-2	T486048	107,44	0,79
600/50-22.5 12 ELS L-1 TL	T486051	91,25	0,85
600/50-22.5 8 ELS L-1	T486052	82,09	0,79
600/50-22.5 12 ELS L-1	T486053	84,55	0,79
500/60-26.5 8 ELS	T486055	91,21	0,82
500/60-26.5 12 ELS TL	T486061	104,10	1
650/65-26.5 12 ELS L-2 TL	T486064	168,51	1,3
600/55-26.5 8 ELS	T486070	107,26	1,07
600/55-26.5 8 TRS LS-2	T486071	133,56	1,07
600/55-26.5 12 ELS	T486075	119,41	1,07
600/55-26.5 12 TRS LS-2	T486076	146,27	1,07
700/50-26.5 8 TRS LS-2	T486083	50,32	1,24
700/50-26.5 8 ELS	T486085	129,48	1,24
700/50-26.5 12 ELS	T486086	133,50	1,5

700/50-26.5 12 ELS TL	T486087	139,68	1,5
700/50-26.5 12 TRS LS-2 TL	T486088	160,00	1,5
700/50-26.5 12 TRS LS-2 TT	T486089	155,94	1,5
700/45-22.5 8 ELS L-1	T486110	89,98	0,93
700/45-22.5 12 ELS L-1	T486112	108,96	0,93
700/45-22.5 8 TRS LS-2	T486120	101,98	0,93
700/45-22.5 12 TRS LS-2	T486121	120,27	0,93
18.4-34 14 TRS LS-2	T487210	174,23	1,32
500/60-26.5 12 TRS LS-2	T487272	131,71	0,82
500/60-26.5 12 TRS LS-2 TL	T487273	129,43	1
700/70-34 12 TRS LS-2	T487540	280,00	2,4
600/55R26.5 158 D ELS TL	T445146	99,16	1,05
650/65R26.5 165 D ELS TL	T445189	134,51	1,5
700/50R26.5 161 D ELS TL	T445227	112,41	1,32
500/60R22.5 146D ELS TL	T445249	65,26	0,67
500/50R17 145D ELS TL	T445250	49,92	0,44
710/55R34 169D ELS TL	T445252	166,51	1,9
600/55R22.5 162D ELS TL	T445254	92,92	0,92
600/50R22.5 156 D ELS TL	T445292	85,46	0,82
560/45R22.5 146 D ELS TL	T445297	62,86	0,64
750/55R26.5 164 D ELS TL	T445317	152,82	1,65
800/60R34 174 D ELS TL	T445318	223,65	2,6
500/50R17 121 A8 ELS TL	T445319	44,25	0,44
600/55-26.5	T445320	170,78	1,07
600/55R26.5 160 A8 TRS RADIAL TL	T445327	142,04	1,07
800/50R34 168 D ELS TL	T445332	188,48	2,18
710/45R22.5 156 D ELS TL	T445348	99,29	1,04
560/60R22.5 161 D COUNTRY KING TL	T445401	95,39	0,87
560/45R22.5 152 D COUNTRY KING TL	T445402	77,69	0,65
620/60R26.5 169 D COUNTRY KING TL	T445404	131,19	1,23
580/65R22.5 166 D COUNTRY KING TL	T445405	108,75	0,96
710/50R26.5 170 D COUNTRY KING TL	T445406	145,29	1,44
650/50R22.5 163 D COUNTRY KING TL	T445407	108,60	0,99
550/60 R 22.5 155D/160A8 ELS	T492099	0,00	0
550/60R22.5 151 D ELS TL	T492100	80,54	0,7
480/65 R 24 151 A8/ 146 D TRI STEEL TL	T445222	107,39	0,72
460/65R24 156A8/151D TRI STEEL TL	T445245	93,90	0,63
14.9R28 150A8/145D TRI TL	T445256	91,58	0,68
480/65R28 154A8/149D TRI TL	T445257	103,33	0,83
440/80R28 156 A8 /151 D TRI 2 TL	T445337	106,39	0,87
540/80R38 172 A8 /167 D TRI 2 TL	T445338	205,61	1,79
440/80R34 159 A8 /155 D TRI 2 TL	T445369	121,16	1,08
480/80R34 164 A8 /159 D TRI 2 TL	T445370	142,56	1,27
540/65R30 161 A8 /156 D TRI 2 TL	T445371	135,65	1,18
400/80R24 149 A8 /144 D TRI 2 TL	T445372	78,79	0,63
340/80R24 140 A8 /135 D TRI 2 TL	T445376	60,62	0,46
480/80R38 166 A8 /161 D TRI 2 TL	T445377	154,85	1,44
360/80R24 143 A8 /138 D TRI 2 TL	T445378	66,06	0,5
400/80R28 151 A8 /146 D TRI 2 TL	T445383	89,63	0,74
440/80R30 157 A8 /153 D TRI 2 TL	T445384	110,81	0,95
440/80R24 154 A8 /149 D TRI 2 TL	T445385	94,23	0,76
480/80R30 162 A8 /157 D TRI 2 TL	T445386	127,86	1,12

360/80R20 147 A8 /143 D TRI 2 TL	T445389	61,89	0,43
650/65R42 176 A8 /171 D TRI 2 TL	T445390	254,38	2,36
340/80R18 143 A8 /138 D TRI 2 TL	T445391	51,19	0,34
420/65R24 151 A8 /146 D TRI 2 TL	T445392	79,48	0,56
460/65R24 156 A8 /151 D TRI 2 TL	T445393	92,95	0,66
400/80R24 149 A8 /144 D TRI 2 TL A	T445425	79,13	0,63
440/80R24 154 A8 /149 D TRI 2 TL A	T445426	94,66	0,76
440/80R28 156 A8 /151 D TRI 2 TL A	T445427	106,84	0,87
480/80R34 164 A8 /159 D TRI 2 TL A	T445428	143,17	1,27
480/80R38 166 A8 /161 D TRI 2 TL A	T445429	155,49	1,44
540/80R38 172 A8 /167 D TRI 2 TL A	T445430	206,48	1,79
11.0/65-12 10 FARMER RIB	T485850	14,28	0,12
11.0/65-12 10 FARMER RIB TL	T485851	14,05	0,13
200/60-14.5 6 FARMER RIB	T485880	9,67	0,08
200/60-14.5 10 FARMER RIB	T485881	10,16	0,08
5.20-10 IMPL TL OT	T445176	3,23	0,03
11.0/65-12 10 FARMER RIB TL OT	T445177	14,16	0,13
6-12 2 FARMER OT	T445216	5,00	0,05
7.00-12 4 FARMER TL OT	T445217	10,04	0,09
10.00-12 6 FARMER RIB OT	T445218	15,93	0,16
200/60-14.5 6 FARMER RIB OT	T445219	9,78	0,08
200/60-14.5 10 FARMER RIB OT	T445220	10,20	0,08
7.00-12 4 FARMER TL OT	T845259	10,04	0,09
11.0/65-12 10 FARMER RIB TL OT	T845270	14,16	0,13
200/60-14.5 6 FARMER RIB OT	T845271	9,78	0,08
200/60-14.5 10 FARMER RIB OT	T845272	10,20	0,08
5.20-10 4 IMPL TL OT	T845273	3,23	0,03
540/65R28/500/70-28 TR 218 BROMOBUT	T545229	9,73	0,033
650/65-26.5, 750/55-26 TR 218 BROMOBUT	T545235	13,10	0,04
28L-26 TR 218 BROMOBUT	T545236	11,80	0,035
800/40-26.5 TR 218 BROMOBUT	T545312	12,70	0,035
600/70-38, 650/75-38 TR 218	T545322	17,00	0,035
400/60-15.5 TR 218 BUT	T545387	3,64	0,013
NEW FOREST KING F TUBE	T545403	9,80	0,035
600/50-22.5/600/55R22.5 TR 218 BROMOBUT	T55089	7,96	0,035
500/55-15.5/500/60-15.5 TR15	T55091	4,95	0,017
700/45-22.5/710/40-22.5 TR 218 BROMOBUT	T55092	8,39	0,035
400/55-22.5 TR 15 BROMOBUT	T55094	4,75	0,025
500/60-22.5/550/60R22.5 TR 218 BROMOBUT	T55096	6,68	0,025
500/60-26.5/540/60R26.5/480/65R28/500/65R28 TR 218 BROMOBUT	T55097	7,51	0,033
600/55-26.5 TR 218 BROMOBUT	T55098	10,04	0,033
700/50-26.5/710/45-26.5 TR 218 BROMOBUT	T55099	11,14	0,035
11.2/12.4-24/380/65-24 TR 218	T55100	4,41	0,025
28L-26 TR 218A BROMOBUT	T55101	11,80	0,035
650/65-26.5/ 750/55-26.5/ 620/75-26/ 23.1-26 TR 218 BROMOBUT	T55102	13,10	0,04
13.6/12 -24 TR 218 BUT	T55105	5,04	0,025
420/460/65-24 TR 218 BUT OT	T55110	7,00	0,013
480/65-24 TR 218 BROMOBUT	T55111	7,51	0,02
14.9-24/16.9-24 TR 218 BUT	T55112	6,58	0,025
520/65-24 TR 218 BROMOBUT	T55116	10,04	0,033
16.9-26/18.4-26 TR218 BUT	T55121	9,94	0,033
23.1-26 TR 218 BROMOBUT	T55137	10,50	0,04

11.2-28 TR 218 BUT	T55155	4,72	0,025
12.4-28/13.6-28 TR218 BUT	T55311	5,68	0,025
14.9-28/14.9-30/12.4-32 TR218	T55351	6,61	0,025
520/65-28 TR 218 BUT OT	T55360	7,50	0,02
16.9-28 TR 218 BUT OT	T55370	7,00	0,035
16.9/18.4-30/520/65-30/540/70-30 TR 218	T55371	10,12	0,033
580/65-30/ 600/65-30 TR 218 BUT OT	T55380	8,00	0,02
30.5-32/700/70-34 TR 218 BUT OT	T55388	16,00	0,04
16.9-34/18.4-34 TR218 BUT	T55391	11,10	0,033
24.5-32 TR 218 BUT OT	T55393	9,07	0
600/65-34/700/55-34 TR 218 BRO	T55394	13,39	0,04
580/65B34/520/65-34/600/65-34 TRI TR 218	T55395	13,39	0,02
23.1/18 -34 TR 218 BROMOBUT	T55398	13,21	0,04
12.4-36/13.6-36 TR218 BUT	T55401	6,88	0,025
13.6/14.9-38 TR 218 BUT	T55425	7,65	0,025
16.9/18.4-38 TR 218 BUT	T55430	10,63	0,033
600/65-38 TR 218 BUT OT	T55440	10,00	0,02
20.8 - 38 BUT OT TR218	T55445	11,10	0,04
14.00-24/15.5-25/17.5-25 TR220	T55451	7,82	0,033
13.00-24 TR 220 BUT	T55753	6,56	0,025
14.00-24 TR 1175 BUT	T55767	7,80	0,033
18.00/ 20.5/ 23.5/ 25/65-25 TR 1175 BR	T55831	12,02	0,04
17.5-25 TR 1175 BUT	T55867	8,37	0,033
18.00/ 20.5/ 23.5/ 25/65-25 TR 220 BROMOBUT	T55872	11,04	0,04
22/65-25 TR 1175 BROMOBU	T55877	9,93	0,033
22/65-25 TR 220 BROMOBUT	T55878	9,73	0,033
200/60-14.5 TR 15 BUT	T56380	1,14	0
11.5/80-15.3 TR 15 BUT	T56400	2,62	0,008
400/60-15.5 TR 15 BUT	T56410	3,64	0,013
11.0/60-16/10-16.5/12-16.5TR15	T56415	2,29	0,008
10.00/11.00/13/70/14.0/65-16 SLANGE	T56419	3,15	0,008
500/50-17 TR 15 BROMOBUT	T56422	4,14	0,008
16.0/70-20 TR 15 BUT	T56430	5,85	0,025
550/45-22.5/560/45R22.5 TR 218 BROMOBUT	T56435	6,21	0,025
520-10 TR 13 BUT	T51020	0,50	0,002
6.00/6.50-16 TR 13 BUT	T51185	1,32	0,004
7.00/7.50-16 TR 13 BUT	T51192	1,57	0,005
6-12 TR 13 BUT	T51350	0,64	0,004
7.00-12 TR 13 BUT	T51360	0,94	0,004
7.50-18 TR 13 BUT	T56425	1,91	0,007
10.00-12 TR 13 BUT	T56440	2,39	0,013